SHEET NO. OF

MALE EDGE PROFILE

TO SUIT JOINT SIZE

DOME HEAD RIVET

(TYPICAL) @ 500MM MAX CRS

**PSP PANEL** 

A & B ARE OVER 700MM (BONDED)

MOVED UP

DOME HEAD RIVET @ 500MM MAX CRS

100MM -MOVEMENT JOINT (E2) PSP PANEL **EXTRUSTION** POSITION (E1)

**EXTRUSTION** REQ'D IF DIMS

## PSP MATRIX SFC RAINSCREEN "U" CORNER PANEL SPECIFICATION SHEET/ORDER FORM


8 x 6 SLOTS @

UPSTAND

50MM CRS

BASED ON 20MM JOINTS, MAXIMUM MATRIX SFC PANEL SIZES ARE 3920MM (A1 + A2 +A3) x 1400MM (B). THIS IS DUE TO MAXIMUM FLAT SHEET SIZE OF 4000MM x 1500MM. INSTALLER TO DETERMINE HANDLING LIMITATIONS.

PANEL SIZES GIVEN ARE FACE SIZES NOT MODULE SIZES.



**SECTION** 

## **ELEVATION ON PANEL FACE A1**

FEMALE EXTRUSION LENGTH = DIM A1-90

DIMENSION A1 (O/A)

MALE EDGE LENGTH = DIM A1 - 64

GRAIN DIRECTION


(IF APPLICABLE)

SEE TABLE FOR INTERMEDIATE EXTRUSTION REQUIREMENT

IMPORTANT - 1ST HOLE 10MM FROM L.H. EDGE

## **ELEVATION ON PANEL FACE A2**

## **ELEVATION ON PANEL FACE A3**



GUIDE TO INTERMEDIATE EXTRUSION REQUIREMENT							
	PANEL LENGTH UP TO 700MM	PANEL LENGTH 701MM-3920MM					
PANEL HEIGHT UP TO 700MM	NOT REQUIRED	NOT REQUIRED					
PANEL HEIGHT 701MM-1400MM	NOT REQUIRED	REQUIRED					

PANEL OUTER SKIN:						
MATERIAL:						
GAUGE:						
COLOUR:						

CLIENT:	
PROJECT:	
DATE:	
CLIENT REF:	
PSP REF:	

PANEL REF:	PANEL FACE LENGTH (A2):	PANEL FACE LENGTH (A3):	HEIGHT	HKZI.	NO. OF HRZT. STIFFENERS (A2):	NO. OF HRZT. STIFFENERS (A3):	PANEL EXTR. (E1) REQ'D (Y/N):	PANEL EXTR. (E2) REQ'D (Y/N):	NO. REQ'D:



All Saints Industrial Estate Shildon County Durham DL4 2RD www.pspuk.com

00 44 (0) 1388 770490 00 44 (0) 1388 778068

Email:- design@pspuk.com